New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Atlantic County Residents

			olescent *		Pediat				Tota	
1.	Current HIV/AIDS Category	Cases	% 		Cases	%	_		ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	471 #	#		# 0 #		# O #		207 471 739	15 33 52
	Total	1410			7	10			1417	100
2.	Current Age * Cases %		'Eth.			5 %	Pedia Cases	%		al %
	<pre><5 0 0 5-12 7 0 13-19 7 0 20-29 54 4 30-39 386 27</pre>	White Black Hispa Other	e, Not Hisp k, Not Hisp	oanic oanic	#	# # 17 1	#	# # O O	348 807 243	25 57 17 1
	40-49 634 45 50+ 329 23 Unk. 0 0	Total			1410			100	1417	
	Total 1417 100									
4.	Patient Group		Adult/Adolescent Transmission						iodes **	
•	racione croap	Males %						Tot		al %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		323 377 52 86 169	32 37 5 9		19 11 9	0 0 0 48 0 0 6 29 4 24		56 5 20 26	23 23 57 40 52 4 02 14 53 19
	Total		1007				0 100		140	
			Males	Peo %	diatric		missio es %	n Mod	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		# #	 # #			# # # #			8 80 # #
	Total		#	#			 # #		1	LO 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2003.
- ** 3 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Atlantic County Residents

Adult/Adolescent*

				Adult/Ado	lescent^		Peal	Latric [*]			.T.O	taı	
1. I	Disease Ca	sease Category		ory Cases (%) Deaths (%)						Cases		Deaths	ક (%)
(I 1	KS Alone	/O PCP		346 (22) 464 (30) 20 (1) 739 (47)	267 (77) 345 (74) 14 (70) 268 (36)	9 5 0 0	(64) (36) (0)	6 5 0 0	(67) (100) (.)	355 469 20 739	(22) (30) (1) (47)	350 14 268	(75) (70)
					894 (57)					1583			(57)
2. 1	Age *	Cases			/Eth.		용						
	Under 5	12	1	Whit	e, Not Hispanic	#	#	#	#	48			
į	5-12	#	#	Blac	k, Not Hispanic	865	55	8	57	87	3 55		
	13-19	5	0	Hisp	anic	#	#	#	#	21	1 13		
2	20-29	231	15	Othe	r/Unknown	10		0	0	1	0 1		
	30-39	687	4.3										
	40-49			Tota	1	1569	100	14	100	158	3 100		
		172			_								
		#											
		1500											
	Total	1583	TUU										

Pediatric*

Total

1	Patient	Croun

Patient Group	Adult/Adolescent Transmission Modes **										
Ma	ales	용	Females	용	Total	용					
Men sex with men (MSM)	435	35	0	0	435	28					
Injection drug user (IDU)	505	41	195	57	700	45					
MSM/IDU	83	7	0	0	83	5					
Heterosexual contact	54	4	79	23	133	8					
Risk not reported/other***	151	12	66	19	217	14					
Total	1228	100	340	100	1568	100					

	Pediatric Transmission Modes							
	Males	용	Females %	Total	%			
Parent at risk/has AIDS/HIV	7	78	6 100	13	87			
Risk not reported/other***	#	#	0 0	#	#			
Total	9	100	6 100	15	100			

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 1} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Atlantic County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Rate
Before 1985	10	10	100%
1985	10	9	90%
1986	15	15	100%
1987	23	21	91%
1988	52	47	90%
1989	98	84	86%
1990	103	84	82%
1991	101	87	86%
1992	147	117	80%
1993	155	111	72%
1994	132	69	52%
1995	139	64	46%
1996	104	40	38%
1997	96	34	35%
1998	69	29	42%
1999	83	33	40%
2000	70	20	29%
2001	72	14	19%
2002	59	10	17%
2003	45	7	16%
Total	1583	905	57%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Atlantic County Residents

135 50

79 29

58 21

354 43 29

134 16

138 17

1.	Age *	Cases	90	2.	Race/Ethnicity	Adult/ Cases		Ped: Case:		ric*		Total Cases	%
	Under 5	5	1		White, Not Hispanic	202	24		0			202	24
	5-12	#	#		Black, Not Hispanic	#			#	#		472	57
	13-19	16	2		Hispanic	#			#	#		143	17
	20-29	207	25		Other/Unknown	16			0	0		16	2
	30-39	350	42										
	40-49	211	2.5		Total	827	100		6	100		833	100
	Over 49	40	5		10001	02,	200		Ŭ			000	
	Unknown	#	#										
	Total	833	100										
3.	Patient Gro	up			Adu	ılt/Adole	scent '	[ransmi:	ssi	on Mode	es **		
					Males	용	Fer	males	%		Total	용	
	Men sex wit	h men (M	 ISM)		172	31		0	0		172	21	
	Injection d	rug user	(IDU)		219	39		135	50		354	43	

Total	555	100	272 10	00	827	100
	Males	Pediatri %	c Transmissi Females %		Total	엉
Parent at risk/has AIDS/HIV	#	#	#	#	5	83
Risk not reported/other***	#	#	#	#	#	#
Total	#	#	#	#	6	100

29 5 55 10

80 14

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Risk not reported/other***

Heterosexual contact

MSM/IDU

- ** O patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Atlantic County Residents

1.	. Current HIV/AIDS Category						I Cá	se		%		Cas		용	
	AIDS-Any (AIDS-CD4 (HIV Only	OI Only			829 739 827	35 31 35		1	-5 0 6	71 0 29		8 7 8	44	35 31 34	
	Total				2395				21	100			16	100	
2.	Age *	Cases		3.	Race/Eth.			5	%	P Ca	ses	%		To	otal %
	Under 5 5-12 13-19 20-29 30-39		1 # 1 21		White, No	ot Hispanic ot Hispanic Known	133	# 31 # 26	# 56 # 1		14	# 67		691 1345 354 26	56 15 1
	40-49 Over 49 Unknown	1056 617 183 #	26 8 #		Total		239					100		2416	
	Total														
4.	Patient Gr	roup				Ad Males	ult/Adol %	.es		Trans emales			es ** Total		
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user al contacteported/c	ISM) : (IDU) :t	ς.		607 724 112 109 231	34 41 6 6 13		_		26 20		607 1054 112 267 355	7 25 4 44 2 5 7 11 5 15	
	Total					1783	100			612	100		2395	5 100	
							Pedia	ıtr	ric T	ransmi	ssion	Modes			

11 85

13 100

#

 $\label{eq:males} \textit{Males} \qquad \textit{\$} \qquad \qquad \textit{Females} \quad \textit{\$} \qquad \qquad \textit{Total} \qquad \textit{\$}$

8 100

7 88 # # ----

18 86

#

21 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.

Parent at risk/has AIDS/HIV

Risk not reported/other***

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Atlantic County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis		Number Known Dead	Case-Fatality Rate
Before 1985	17	15	88%
1985	20	15	75%
1986	34	25	74%
1987	54	40	74%
1988	93	70	75%
1989	134	106	79%
1990	176	124	70%
1991	169	117	69%
1992	292	116	40%
1993	219	81	37%
1994	223	75	34%
1995	169	64	38%
1996	128	32	25%
1997	144	31	22%
1998	99	25	25%
1999	97	21	22%
2000	95	14	15%
2001	117	15	13%
2002	71	8	11%
2003	62	5	8%
Unknown	#	#	#
Total	2416	999	41%